

Final Health Monitoring Report

University of Portsmouth
Bioresources Unit 6th Floor, Old St
Michael's Building, White Swan Road
PO1 2DT Portsmouth
United Kingdom

Order Number

BIO35855

Report Reference

20252023

Samples Received

01 Jul 2025

Report Date

10 Jul 2025

Quantity	Sample Details	Species	Profile	Sample Type
1	Pink Rack sludge	Xenopus	Xenopus Microbiology	Samples
1	Pink Rack sludge	Xenopus	Xenopus Profile II	Samples
1	Pink Rack water	Xenopus	Xenopus Microbiology	Samples
1	Pink Rack water	Xenopus	Xenopus Profile II	Samples
1	Rack 16 sludge	Xenopus	Xenopus Microbiology	Samples
1	Rack 16 sludge	Xenopus	Xenopus Profile II	Samples
1	Rack 16 water	Xenopus	Xenopus Microbiology	Samples
1	Rack 16 water	Xenopus	Xenopus Profile II	Samples
1	Rack 17 sludge	Xenopus	Xenopus Microbiology	Samples
1	Rack 17 sludge	Xenopus	Xenopus Profile II	Samples
1	Rack 17 water	Xenopus	Xenopus Microbiology	Samples
1	Rack 17 water	Xenopus	Xenopus Profile II	Samples

Rack 17 sludge - Xenopus Profile II

1/1 positive for Pseudomonas aeruginosa

Rack 17 water - Xenopus Microbiology

1/1 positive for Pseudomonas aeruginosa

Rack 17 water - Xenopus Profile II

1/1 positive for Pseudomonas aeruginosa

All other samples were negative for the agents tested

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Pink Rack sludge	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods		Latest Result
Aeromonas dhakensis		Culture		0/1
Aeromonas hydrophila		Culture		0/1
Elizabethkingia meningoseptica		Culture		0/1
Pseudomonas aeruginosa		Culture		0/1
Salmonella enterica		Culture		0/1
Saprolegnia spp		Culture		0/1

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Pink Rack sludge	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	0/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Pink Rack water	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas dhakensis		Culture	0/1	
Aeromonas hydrophila		Culture	0/1	
Elizabethkingia meningoseptica		Culture	0/1	
Pseudomonas aeruginosa		Culture	0/1	
Salmonella enterica		Culture	0/1	
Saprolegnia spp		Culture	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Pink Rack water	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	0/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 16 sludge	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas dhakensis		Culture	0/1	
Aeromonas hydrophila		Culture	0/1	
Elizabethkingia meningoseptica		Culture	0/1	
Pseudomonas aeruginosa		Culture	0/1	
Salmonella enterica		Culture	0/1	
Saprolegnia spp		Culture	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 16 sludge	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	0/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 16 water	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas dhakensis		Culture	0/1	
Aeromonas hydrophila		Culture	0/1	
Elizabethkingia meningoseptica		Culture	0/1	
Pseudomonas aeruginosa		Culture	0/1	
Salmonella enterica		Culture	0/1	
Saprolegnia spp		Culture	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 16 water	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	0/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 17 sludge	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas dhakensis		Culture	0/1	
Aeromonas hydrophila		Culture	0/1	
Elizabethkingia meningoseptica		Culture	0/1	
Pseudomonas aeruginosa		Culture	0/1	
Salmonella enterica		Culture	0/1	
Saprolegnia spp		Culture	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 17 sludge	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	1/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 17 water	Xenopus Microbiology
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas dhakensis		Culture	0/1	
Aeromonas hydrophila		Culture	0/1	
Elizabethkingia meningoseptica		Culture	0/1	
Pseudomonas aeruginosa		Culture	1/1	
Salmonella enterica		Culture	0/1	
Saprolegnia spp		Culture	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com

Final Health Monitoring Report

Test Date	Species	Submitter	Area	Profile
01 Jul 2025	Xenopus	University of Portsmouth	Rack 17 water	Xenopus Profile II
Viruses		Test Methods	Latest Result	
Ranavirus spp		qPCR	0/1	
Bacteria, Mycoplasma and Fungi		Test Methods	Latest Result	
Aeromonas hydrophila		qPCR	0/1	
Batrachochytrium dendrobatidis		qPCR	0/1	
Mycobacterium chelonae		qPCR	0/1	
Mycobacterium marinum		qPCR	0/1	
Pseudomonas aeruginosa		qPCR	1/1	
Salmonella spp		qPCR	0/1	
Saprolegnia spp		qPCR	0/1	
Endoparasites		Test Methods	Latest Result	
Cryptosporidium spp		qPCR	0/1	
Pseudocapillaroides xenopi		qPCR	0/1	

Report Reference: 20252023 Report Printed 10 Jul 2025

All testing is performed by Inotiv RMS Italy using standard operating procedures.

Results are controlled through a secure LIMS and released on the approval of the Laboratory Services Manager.

Inotiv + RMS-UK-Technical-Services@inotiv.com + healthmonitorlab@inotiv.com + inotiv.com